

IN-LINE

Labeling Equipment, Inc.

7282 Spa Road North Charleston, SC 29418

Phone: (843)569-2530 Toll Free: (800)465-4630 Fax: (843)569-2531



1500NW Pressure Sensitive Labeler

The model 1500NW is designed to apply front, back, and neck labels to non-round and round bottles at speeds up to 150 bpm. Label placement accuracy is maintained within $\pm 1/32$ ". By adding our Wrap Station Assembly the 1500NW can also apply single wrap labels to round bottles.

Conveyor speeds and label application are controlled through the use of state-of-the-art PLC controls and stepper motors. A Touchscreen Operator Interface insures ease of operation and convenience.

The model 1500NW has been designed for ease of use and consumer convenience. It comes with a self-teaching label gap sensor that makes set up uncomplicated and trouble free. Our new pinch grip design simplifies the way the web is threaded through the machine.

Aircraft grade aluminum and stainless steel (where applicable) are utilized in construction for durability and wear. All aluminum parts are coated with a durable "steel-it" stainless coating that is chip and scratch resistant.



IN-LINE

Labeling Equipment, Inc.

Features

- Designed for 1" to 6" diameter and 14" tall containers. Labels sizes from 1" to 6" tall and 14" in length.
- Label can be moved up to 8" from base of container.
- Accepts random bottle feeding or continuous production.
- Changeovers require no tools and take less than 15 minutes.
- PLC motion controls with Touch Screen Interface.
- Speeds up to 150 bpm depending on label length.




Options

- Hot Stamp coding for lot/date information.
- Feed Screw container infeed.
- Extra Tall Label Kit for labels up to 7 ½ tall.
- Wrap Station permits labeling of round containers with a single label.
- Locking casters.

Specifications

Conveyor width:	4 ½"
Conveyor height:	32"
Conveyor length:	108"
Overall machine width:	52"
Overall machine height:	68"
Overall machine length:	108"
Overall machine weight:	500 pounds
Power requirements:	115 volt AC, 60 cycle, 15 amp power



7282 Spa Road
North Charleston, SC 29418
Phone: (843)569-2530
Toll Free: (800)465-4630
Fax: (843)569-2531